

Fixation for type M block (1 to 2) for
CBA-CBC-CEX 71 range from 1250 up to
2000 A (without M block).


designation

complete fixation for type M block 1 to 2 (without M block)

code

92 014

fixation M block and delayed block for CBA-CBC-CEX 71 1250/2000 and 98 2560/5000



Fixation for type M block (1 to 4) for
CBA-CBC-CEX 71 range from 1250 up to
2000 A (without M block).


designation

complete fixation for type M block 1 to 4 (without M block)

code

92 015

fixation M block and delayed block for CBA-CBC-CEX 71 1250/2000 and 98 2560/5000



Fixation for type M block (1 to 6) for CBA-CBC-CEX 71 range from 1250 up to 2000 A (without M block).


designation

complete fixation for type M block 1 to 6 (without M block)

code

C 0131

fixation M block and delayed block for CBA-CBC-CEX 71 1250/2000 and 98 2560/5000



Nota: precise the delay range in your order

from 0.1 up to 3 s
from 0.1 up to 30 s
from 0.1 up to 180 s

TP 86 A: NO delay
TP 86 C: NC delay

Fixation for 5 type M blocks and 1 delayed block for CBA-CBC-CEX 71 range from 1250 up to 2000 A (without M block).

designation

complete fixation for type M block 1 to 6 (without M block)

code

C 0131

Nota: for the delayed block, you have to add:

designation

fixation for delayed block TP 86 A (precise the delay range in your order)

fixation for delayed block TP 86 C (precise the delay range in your order)

code

94 231

94 239